Notice of Allowability	09/921,351	EHLING ET AL.	
	Examin r	Art Unit	
	Dionne A. Walls	1731	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ars on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communical GHTS. This application is subjection	n correspondenc address application. If not include ation will be mailed in due	ed course. THIS
 This communication is responsive to the Amendment filed The allowed claim(s) is/are 6,9,10,12-19,21-27 and 31. The drawings filed on 02 August 2001 are accepted by the Acknowledgment is made of a claim for foreign priority und All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have 	e Examiner. der 35 U.S.C. § 119(a)-(d) or (f). e been received.		
	• •		tion from the
3. Copies of the certified copies of the priority do	cuments have been received in	inis national stage applica	don from the
International Bureau (PCT Rule 17.2(a)). * Cartified copies not received:			
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority upon (a) The translation of the foreign language provisional a	pplication has been received: 🕖	and the second of the second difference	
6. Acknowledgment is made of a claim for domestic priority u	nder 35 U.S.C. §§ 120 and/or 12	21. The second of the second	tu. Oragoga in kiĝi
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of 7. A SUBSTITUTE OATH OR DECLARATION must be submit in the submit i	this communication to file a rep this application. THIS THREE- nitted. Note the attached EXAMI	MONTH PERIOD IS NOT NER'S AMENDMENT or N	irements noted EXTENDABLE
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing of including changes required by the attached Examiner 	correction filed, which ha	as been approved by the E	
Identifying indicia such as the application number (see 37 CFR 1 each sheet.	.84(c)) should be written on the dr	awings in the front (not the	back) of
9. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT FOR T			Note the
Attachment(s)			
 1 Notice of References Cited (PTO-892) 3 Notice of Draftperson's Patent Drawing Review (PTO-948) 5 Information Disclosure Statements (PTO-1449), Paper No 7 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4⊡ Interview Su 6⊠ Examiner's A	ormal Patent Application (I mmary (PTO-413), Paper Amendment/Comment Statement of Reasons for A	No

Application No.

C- 2-0

Applicant(s)

Application/Control Number: 09/921,351

Art Unit: 1731

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE TITLE:

Delete "Method and" and change "device" to --Device-- .

2. The following is an examiner's statement of reasons for allowance:

The Examiner agrees with Applicant's arguments. The closest prior art suggests a device comprising a hyperbaric pressure chamber having an inlet and outlet, first and second wheel sluices, and at least one nozzle capable of spraying water vapor. However, said prior art neither teaches nor suggests such a device, structured for conditioning tobacco material, having at least one nozzle located within said chamber arranged, as argued by Applicant, to prevent catching tobacco edges which could result in the accumulation of tobacco, and a heating jacket which, as Applicant asserts, is structured to allow water vapor of a higher temperature than the vapor temperature of the nozzle to run therethrough and prevent water vapor from condensing on the inside wall of the chamber.

Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 09/921,351

Art Unit: 1731

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dionne A. Walls whose telephone number is (571) 272-1195. The examiner can normally be reached on Mon-Fri, 7AM - 4:30PM (Every other Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven P. Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

Dionne A. Walls Primary Examiner Art Unit 1731 Page 3

December 15, 2003